EXHIBIT G 2 OF 2

Nov. 12, 2002

Sheet 53 of 101

	Resource Administration		
Eile Help			
Access Level:	<u>⊠ [Public]</u> □ IPD only □ Team		
Resource Title:	CLS - Test resource for training	OK OK	
Date Added:	Date Updated: / /	Cancel	
Product ID:	Media: On Line	কা	7
Cost:	Format: Note	Notepad 소	
Price	Point of Contact: McD	n. Tab	
Information Category:	rator:		
Information Filename:	\public\tab\test\test1.txt Bitmap>> C:\W	C:\WINDOWS\CLS1.BM	
Repository:	Continuous Learning System	<u>▼</u>	
Resource Description:			
		<u></u>	1
Remarks			
	Please enter new data at this time and click on OK.	OK.	

Nov. 12, 2002

Sheet 54 of 101

0	Resource Administration		□
Eile <u>H</u> elp			
Access Level:	☑ Public ☐ IPD only ☐ Team		
Resource Title:	CLS - Test resource for training		ŏ
Date Added:	Date Updated: //	Ca	Cancel
Product ID:	Media:	On Line	
Cost:	J L	Notepad 소	
Price	Point of Contact:	McCollum, Tab	New
Information Category:	ء rator: آ	<u></u>	Modify
Information Filename:	\public\tab\test\test1.txt Bitmap>>	CLS1.BM	Deleta
Repository:	Continuous Learning System	A A	Clear <u>A</u> ll
Resource Description:			Help
Remarks			
	CLS - TEST RESOURCE FOR TRAINING was successfully added to the CLS database.	essfully added to	

Nov. 12, 2002

Sheet 55 of 101




FIG. 50

Nov. 12, 2002 Sheet 56 of 101




FIG. 51

U.S. Patent Nov. 12, 2002

Sheet 57 of 101




FIG. 52

Nov. 12, 2002

Sheet 58 of 101




FIG. 53

Nov. 12, 2002

Sheet 59 of 101

	K
Notebad - CLS.1A1	N
File Edit Search Help	
Continuous Learning System Notification 01/21/94 05:03PM TO: TAB MCCOLLUM	₽ □
E-mail: Tab.McCollum@DaytonOH.NCR.COM FROM: VICKIE COWAN	•
E-MAIL: vickie.cowan@daytonoh.ncr.com MAIL DROP: emd-3	
PHONE: LOCATION: dayton, OH ************************************	
VICKIE COWAN would like to obtain information on the following subjects(s).	
Title: CLS - TEST RESOURCES FOR TRAINING	
Please contact the above individual if more information is required.	
End Notification.	
	[6
	2

U.S. Patent

Nov. 12, 2002

Sheet 60 of 101

US 6,480,855 B1




FIG. 55

U.S. Patent

Nov. 12, 2002

Sheet 61 of 101

US 6,480,855 B1

CLS- Identify Interests
File Help Identify Interests
View Interest List • Display your current interest list. Add/Delete Interests • Add or delete items in your interest list. Sack to Previous Screen previous menu. • Close window and return to previous menu.
Select an item to get instructions or Double click to execute the item. Select Back to Previous Menu to quit.

Nov. 12, 2002

Sheet 62 of 101




FIG. 57

U.S. Patent

Sheet 63 of 101

US 6,480,855 B1




FIG. 58

U.S. Patent



Sheet 64 of 101

US 6,480,855 B1




FIG. 59

U.S. Patent

Sheet 65 of 101


US 6,480,855 B1

CLS- Personal Information □	
File Help	1
Personal Information	
View Personal Profile Display your current personal profile. Change Password Change your password to CLS. Change your password to CLS. Back to Previous Screen previous screen previous menu.	
Select an item to get instructions or Double click to execute the item. Select Back to Previous Menu to quit.	· · · · · · · · · · · · · · · · · ·
	7

U.S. Patent Nov. 12, 2002 Sheet 66 of 101 US 6,480,855 B1

Nov. 12, 2002

Sheet 67 of 101



U.S. Patent

Nov. 12, 2002

Sheet 68 of 101

US 6,480,855 B1




FIG. 63

U.S. Patent

Nov. 12, 2002

Sheet 69 of 101

US 6,480,855 B1




FIG. 64

Nov. 12, 2002

Sheet 70 of 101




FIG. 65

Nov. 12, 2002

Sheet 71 of 101

US 6,480,855 B1

FIG. 66

user, the user can assign resources to that particular team for TEAMS. An information administrator has been logged and only those members will see the resource. We have delete new teams. Once a team has been assigned to a The next few slides deal with the TEAM security of CLS. tried to depict a small scenario to give you a better feel Only Information Administrators can create, modify or on to show this illustration.

U.S. Patent


Sheet 72 of 101

US 6,480,855 B1

D		
CLS- Provide or Distribute	Back to Previous Screen Close window and return to previous menu.	Select an item to get instructions or Double click to execute the item. Select Back to Previous Menu to quit.


U.S. Patent

Sheet 73 of 101



U.S. Patent

Sheet 74 of 101




U.S. Patent

Sheet 75 of 101

0	CLS- Provide or Distribute	Δ
	CLS User Administration	
User ID:	Zip Code:	SIP Customer Number
Last Name:	FRC Number:	
First Name:	ACCT Number:	
E-MAIL Address:	Phone Number:	Reset User Password
Mail Drop:	Date Added:	Help
City:	Date Updated:	Qk
State	Type of User:	5 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
County:	User Environment:	
Title:	CLS Login:	
Double click to add, modify o	r delete new members to the	Double click to add, modify or delete new members to the Continuous Learning System.


Nov. 12, 2002

Sheet 76 of 101




U.S. Patent

Sheet 77 of 101




Nov. 12, 2002

Sheet 78 of 101




U.S. Patent

Sheet 79 of 101



U.S. Patent

Sheet 80 of 101




U.S. Patent

Nov. 12, 2002

Sheet 81 of 101

US 6,480,855 B1



U.S. Patent

Sheet 82 of 101

0	Resource Administration	<u> </u>
Eile Help		
Access Level:	☐ Public CLS ADMIN USERS CLS TEST TEAM	
Resource Title:	CONFIDENTIAL REPORT ON CLS SECURITY REQUIREMENTS	Ŏ
Date Added:	Date Updated: 7 /	Cancel
Product ID:	Media: On Line	
Cost:	Format: Microsoft Word	
Price	Point of Contact: McCollum. Tab	New
Information Category:	rator: Siefert, Dave	Modify
Information Filename:	\team\secur.doc \team\secur.doc	Delete
<u> </u>	Continuous Learning System	1000
	Resource description cannot exceed 255 characters. 82	Oleal All
Resource Description:	This is a test resource entry to check the security validation in the TEAM (図 concept	dleH
Remarks		
	Please enter new data at this time and click on OK.	

U.S. Patent


Sheet 83 of 101

US 6,480,855 B1

	Resource Administration	
File Help		
Access Level:	☐ Public ☐ IPD only ☒ CLS ADMIN USERS	
Resource Title:	CONFIDENTIAL REPORT ON CLS SECURITY REQUIREMENTS	
Date Added:	Date Updated: [/ /]	<u> </u>
Product ID:	Media: On Line	7
Cost:	Format: Microsoft Word (本	1
Price		30
Information Category:	rator: Siefert, Dave	J.
Information Filename:	\team\secur.doc Bitmap>>	
Repository:	Continuous Learning System □	
Resource	This is a test resource entry to check the security validation in the TEAM 配	
Description:		
Remarks		-
	Please enter new data at this time and click on OK.	
		7

U.S. Patent

Sheet 84 of 101



Nov. 12, 2002

Sheet 85 of 101

US 6,480,855 B1

FIG. 80

assigned to the CLS ADMIN USERS team to show that the new resource can only Next few slides show another user named VCOWAN logged in who is not be seen by those persons selected earlier.

Nov. 12, 2002

Sheet 86 of 101




FIG. 81

U.S. Patent

Sheet 87 of 101




FIG. 82


Nov. 12, 2002

Sheet 88 of 101

		Catalog Search Results
Eile i	<u>H</u> elp	
		18 entries returned.
	Media	le.
		07:46 CLS - Status Report dated 5 Aug 93 CLS developers comm
N er	On Line	10/18/93 07:46 CLS - Untangling the Windows Sockets API - a standardize
	Other	10/18/93 09:51 Test of NCR user providing information to the CLS
	On Line	10/20/93 17:00 CLS - PKUNZIP for CLS application
91	On Line	10/28/93 14:29 CLS - Distinct offers 3-in-1 TCP/IP SDK.
+	On Line	11/02/33 13,36 OLS - SQL NET for Windows Procedures 11/12/93 14.48 CLS - Bales and Responsibilities as determined on 12 Aug
6	On Line	12/01/93 20:48 ICLS - Sample Log File
П	On Line	12/02/93 13:50 CLS - Pilot Plan
7	On Line	12/13/93 15:03 CLS - Overview Powerpoint Presentation
12	On Line	12/13/93 15:29 CLS - Overview Presentation
\neg	On Line	12/13/93 15:32 CLS - User Guide
\neg	On Line	01/05/94 13:38 CLS - Add New User Template
	On Line	01/07/94 16:10 CLS - Latest version of the CLS application (pkzip)
\dashv	On Line	16:13
+	On Line	14:12
200	On Line	01/21/94 16:55 CLS - Lest resource for training
Ū		
		Retrieve Close

Nov. 12, 2002

Sheet 89 of 101




Nov. 12, 2002

Sheet 90 of 101

Filed 07/06/2006


US 6,480,855 B1

FIG. 85



Nov. 12, 2002


Sheet 91 of 101



Nov. 12, 2002

Sheet 92 of 101


Filed 07/06/2006



Nov. 12, 2002

Sheet 93 of 101

Filed 07/06/2006




Nov. 12, 2002

Sheet 94 of 101

US 6,480,855 B1

FIG. 89



This screen, with only minor variations, takes care of 4 of the 5 ways to view available CLS profiles. Since the screens share almost identical logic and visuals there is only one flowchart.

Resource profiles contain many items of information (see illustration 41), some of these are critical and are required (ie: if they are not provided, then the profile will not be accepted).


The resource title, information category, media type, and repository (an extra label) are required and form the basis for the variations in this screen. The basic idea is to display a list of all the possible values for one of these key fields, from which the user selects one, then all available profiles with matching values in that field can be made accessible using this same screen and displaying their titles.

Specifically, the "Media" screen displays a list of all available media types, the "Category" screen a list of all available categories, "Repositories" a list of all available repositories, and "All Resources (A to Z)" a list of all available titles. The user is free to select one of the listed entries. Then a list of all titles which have a matching entry in that key field are diplayed. Thereafter, selecting a title initiates a download (retrieval) of the file or its profile.

download (retrieval) of the file or its profile.

"All Resources (A to Z)" is a special case. A selection is a resource title - which fully specifies a unique resource - so choosing "OK" will directly attmempt to retrieve the resource itself, as opposed to listing all resource profiles with matching titles, since there would only be one.


See Illustrations 19, 20, 27, 28, 30 & 31 and the files CAT1.OBS, CAT1.OBV, and RESULTS.OBS (esp. the subroutine "cataloginfo()").



Nov. 12, 2002

Sheet 95 of 101

FIG. 90




Nov. 12, 2002

Sheet 96 of 101


US 6,480,855 B1

FIG. 91



This screen manages user-entry of logical search criteria for the title. description, and date. These are used to find CLS resources whose own title, description, and date match.

See Illustration 16 and the files SRCHNEW.OBS and SRCHNEW.OBV.



Nov. 12, 2002

Sheet 97 of 101


US 6,480,855 B1

FROM SCREEN "GENERAL SEARCH" (SEE FLOWCHART PG. 7)

FIG. 92


This screen displays a list of resources returned from a query of the CLS database. The user can select a CLS resource from the list and then download it or get its resource profile. Retrieving (ie: downloading) the file will automatically be followed by a launch of the program corresponding to the file, if possible, otherwise CLS will offer the user an opportunity to save the file for future reference.

See Illustrations 11 and the files RESULTS.OBV and RESULTS.OBS (esp. the subroutine "cataloginfo()").



Nov. 12, 2002


Sheet 98 of 101



Nov. 12, 2002


Sheet 99 of 101

US 6,480,855 B1



This screen allows the user to add, delete and modify resource profiles from the CLS database.

Note that the actual resources themselves are the resposibility of the person providing the resource. In particular, if a resource is "online", then it is his responsibility to maintain a copy of the resource at the locationn indicated in the profile (ie: the "information filename" includes the directory path locating the file on the network). See Illustration 41 and the files CATADMIN.OBV and CATADMIN.OBS.



Nov. 12, 2002

Sheet 100 of 101

US 6,480,855 B1

FIG. 95

FROM SCREEN "PROVIDE OR DISTRIBUTE" -(SEE FLOWCHART PG. 5)

This screen allows the administrative users to add, delete and modify members (ie: personal profiles) from the CLS network. This controls who can log on to the CLS network. Note that this screen is only available to qualified users (eg: the CLS Administrator).

This screen also provides access to the "User Administrator" and "Teams" screens.


••• Flowchart details are not provided. •••

See Illustrations 68 through 75. The files MEMBERSHIP.OBV and MEMBERSHIP.OBS are not included. However, see USERADM.OBS and USERADM.OBV for the "User Administration" screen.

Nov. 12, 2002


Sheet 101 of 101

US 6,480,855 B1



This screen displays the key information about a CLS resource profile, and supplemental information about the contact (eg: E-Mail address and FAX number). It also allows the user to automatically forward an E-Mail or FAX request for more information about a resource, which is especially useful when the resource has a media type other than "online". Finally, if the media type of the resource is "online". then the resource can be retrieved directly (ie: downloaded) and launched in its native application (as can also be done from the "Results" screen).

See Illustration 52 and the files CATDBF.OBV and CATDBF.OBS.



50

1

MANAGING A RESOURCE ON A NETWORK WHERE EACH RESOURCE HAS AN ASSOCIATED PROFILE WITH AN IMAGE

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of copending application Ser. No. 08/217,063 filed on Mar. 24, 1994.

This Application is related to:

Application Ser. No. 08/217,065, entitled, "Automated Resource Management System," filed concurrently herewith by Siefert et al., and assigned to the Assignee hereof.

Application Ser. No. 08/217,066, entitled, "Future Boolean Searching of Multiple Repositories of Resources," filed 15 concurrently herewith by Siefert et al., and assigned to the Assignee hereof.

Application Ser. No. 08/217,067, entitled, "Security Aspects of Computer Resource Repositories," filed concurrently herewith by Siefert et al., and assigned to the Assignee 20 hereof.

Application Ser. No. 08/217,062, entitled, "Ordering and Downloading Resources from Computerized Repositories," filed concurrently herewith by Siefert et al., and assigned to the Assignee hereof.

Application Ser. No. 08/217,422, entitled, "Launching Computer Program upon Download of Data Created by Program," filed concurrently herewith by Siefert et al., and assigned to the Assignce hereof.

Application Ser. No. 09/218,024, entitled, "Multiple Repositories of Computer Resources, Transparent to User," filed concurrently herewith by Siefert et al., and assigned to the Assignee hereof.

Application Ser. No. 08/217,476, entitled, "Computer 35 System for Management of Resources," filed concurrently herewith by Siefert et al., and assigned to the Assignee hereof.

MICROFICHE APPENDIX

A microfiche appendix, containing 3 microfiche and 207 total frames is filed herewith.

The invention concerns management of RESOURCEs, which take the form of (a) downloadable computer data and programs and (b) physical objects, which are located at multiple REPOSITORIEs, at different sites. The RESOURCEs appear to a user, at any given site, as though the RESOURCEs were actually present at the user's site.

BACKGROUND OF THE INVENTION

A database is somewhat analogous to a card catalog of a library. The card catalog cross-indexes books in several ways

For example, an "author" card exists. This card is located $_{55}$ in the catalog at the alphabetical position of the author's surname.

In addition, a "title" card exists, located in the alphabetical position of the book's title. Also, a "subject" card generally exists, which describes the subject of the book, 60 and which is located in the alphabetical position of the subject, such as "pressed flower collecting," for example. Of course, other cards can exist for a given book (for example, books having multiple authors generally have an author card for each).

In database terms, these cards represent "fields" within the database. For example, in a library, to find all of the books

written by Ernest Hemingway, one looks up "Hemingway" in the card catalog. All of the library's books written by any Hemingway are identified by respective author cards. In a computer database, a similar search could be done, upon the "author" field.

Page 51 of 62

Similar searches can be done on the title fields, as well as on the subject fields.

Computer databases, in general, have more fields than does the card catalog. For example, if the card catalog were contained within a computer database, there would probably exist a "date" field. To search using the "date" field, one specifies a date, or range of dates, and the database responds by listing all books having a copyright which complies with the specified date, or range.

Presently existing databases have limitations. For example, many databases require that a user undergo significant training in order to learn how to use the data base. Some databases use arcane commands which the user must memorize.

Some databases contain only that information which is owned by the database owner. Returning to the library analogy, if a public library were to computerize its card catalog, by entering all of the information contained within the card catalog into the database program, the database program would, of course, only contain the card catalog information. A user could not, for example, gain access to the card catalog of a second library, in order to locate a book not owned by the first library. The user must go to the second library.

OBJECTS OF THE INVENTION

An object of the invention is to provide a system for storing information in a manner in which retrieval is simple.

Another object of the invention is to provide a system for storing information, in which entering information, as well as retrieving the information, is self-explanatory, and requires no resort to external instructions.

Another object of the invention is to provide a system for storing information, which can communicate with other systems which store information, and make available all of the information stored by all systems.

Another object of the invention is to provide a system which allows a user to search all information contained, in multiple databases, according to key words.

Another object of the invention is to provide a system which allows a user to establish a standing search, which searches, by key words, new information, at specified intervals in the future.

SUMMARY OF THE INVENTION

In one form of the invention, multiple databases, at different locations, are linked together, so that a user can search all databases, as though they were a single database.

In another form of the invention, a user can search multiple databases by category, or field, for example.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1A illustrates the concept of storing RESOURCES within a SERVER, and the association of a PROFILE with each RESOURCE.

FIG. 1B illustrates how RESOURCEs can be divided, according to two different criteria. That is, RESOURCEs can be classified as either containing information or not. RESOURCEs can also be classified as being downloadable or not.

FIG. 1C illustrates how a client of a SERVER can gain access to RESOURCEs contained within the client's SERVER, as well as RESOURCEs contained within other SERVERs.

FIG. 1D illustrates how a SERVER can be viewed as a 5 RESOURCE.

FIG. 1E illustrates storage of PROFILES within REGIONAL SERVERs and storage of RESOURCEs within LOCAL SERVERs.

FIGS. 1-4 illustrate screens which the invention causes to 10 be displayed on a user's PC, during a log-on process. Most of the icons shown are specific to the user's computer, and relate to software owned by the user. Those contained within the box labeled "Continuous Learning System" are related to programs used by the invention.

FIGS. 5 and 6 illustrate screens at Level 1, which provide options for the user to select.

FIGS. 7 and 8 illustrate screens displayed, at Level 2, in response to selection of the "Locate and View" option of FIGS. 5 and 6.

FIGS. 9-11 illustrate how a user undertakes a Boolean key-word search.

FIGS. 12-14 illustrate screens displayed when a user downloads a RESOURCE located during a search.

FIG. 15 illustrates display of the downloaded 25 RESOURCE, by means of launching of a program which generated the RESOURCE.

FIGS. 16 and 17 illustrate modification of the search described in FIGS. 9-11.

FIGS. 18-24 illustrate locating RESOURCEs based on the category in which the RESOURCEs are classified.

FIGS. 25-28 illustrate locating RESOURCEs based on the media upon which the RESOURCEs are stored.

FIGS. 29-32 illustrate locating RESOURCEs based on 35 the REPOSITORIEs in which the RESOURCEs are stored. FIG. 33 illustrates retrieval of the RESOURCE identified

FIGS. 34-37 illustrate other SYSTEMs to which the invention allows a user to gain access.

FIGS. 38 and 39 illustrate returning to Level 1.

FIGS. 40-54 illustrate creation of a PROFILE associated with a RESOURCE.

FIGS. 55-59 illustrate establishing of an INTEREST, which is an order to search new PROFILEs at specified 45 times in the future.

FIGS. 60 and 61 illustrate the passage of time, during which the INTEREST was searched.

FIG. 62 illustrates the results of the INTEREST search.

FIG. 63 illustrate return to Level 1.

FIG. 64 illustrates a warning given when the user attempts to exit, when downloaded files are present, but not yet

FIG. 65 illustrates layout of a typical screen displayed by $_{55}$ a Graphical User Interface, GUI. The particular icons, which represent programs and information stored on the computer, will, of course, differ from one computer to another.

FIGS. 66-76 illustrate how an ADMINISTRATOR can change membership of teams, and thereby control the 60 TEAMs' access to RESOURCEs.

FIGS. 77 and 78 illustrate identification, on a PROFILE, of TEAMS which may gain access to the RESOURCEs corresponding to the PROFILE.

FIG. 79 illustrates sample search results given to a TEAM 65 member. The member is allowed access to all 21 RESOURCEs listed.

FIG. 80 describes following Figures.

FIGS. 81–83 illustrate a search undertaken by a user who does not have access to all 21 RESOURCEs shown in FIG. 79. FIG. 83 shows the RESOURCEs to which this person has access, and the list is different from that of FIG. 79.

FIGS. 84-96 illustrate a flow chart which describes the logic flow of the program contained in the microfiche appendix.

DETAILED DESCRIPTION OF THE INVENTION OVERVIEW

SERVER Holds RESOURCES

FIG. 1A illustrates a SERVER, which is a computer, or 15 equivalent, which acts as a REPOSITORY, by holding a collection of RESOURCEs, for the benefit of microcomputers, labeled PC's. The PC's are the clients of the SERVER.

At present, for ease of explanation, the RESOURCEs can be viewed as computer files. However, as will be seen shortly, the RESOURCEs actually include a vastly larger, and more diverse, collection of objects than mere computer files. RESOURCEs include (a) data, (b) information, and (c) knowledge, both as these terms are generally defined, and also as defined by computer scientists. This data, information, and knowledge can take the form of computerdownloadable data, or other forms, such as printed matter. Each RESOURCE has an associated PROFILE, which contains descriptive information about the RESOURCE. FIG. 48 illustrates an exemplary PROFILE. The user of a PC uses the PROFILEs to locates RESOURCEs of interest by searching through the PROFILEs.

For example, each PROFILE contains a descriptive title. If a user is a manufacturer of golf equipment, and is developing a new golf ball having improved aerodynamic dimples, the user may search the RESOURCEs by looking for phrases such as

"golf ball" or

"aerodynamic" in combination with "golf ball"

within the PROFILEs. (This searching is standard Boolean keyword searching.) The invention will locate the PROFILEs, and thus the RESOURCEs, containing titles which match the search criteria.

Location of PROFILEs

FIG. 1A, as well as FIGS. 1B through 1D, indicate, for ease of explanation, that the PROFILEs are stored in the same SERVER as the RESOURCEs. However, the preferred method of storage is shown in FIG. 1E. Two types of SERVER exist, namely, LOCAL SERVERs and REGIONAL SERVERs. The PROFILEs are stored in the REGIONAL SERVERs. The RESOURCEs are stored in the LOCAL SERVERS

REGIONAL SERVERs, as the name implies, serve a region, and hold the PROFILEs for RESOURCEs associated with multiple LOCAL SERVERs located within the region. Both types of SERVER (LOCAL and REGIONAL) have ADMINISTRATORs, as that term is explained later. (Of course, the same person can act as ADMINISTRATOR for more than one SERVER, and for both LOCAL and REGIONAL SERVERs.)

RESOURCEs Not Limited to Computer-Type Data

The RESOURCEs are not limited to computer-type data, or files. FIG. 1B provides an example. That Figure shows

Document 22-12

four different types of RESOURCEs, namely, a computer FILE (or data), a BOOK, a reel of MOVIE FILM, and a PHYSICAL OBJECT. The PHYSICAL OBJECT can take the form of any physical object, such as a computer disc drive, or a diesel-electric railroad locomotive. Of course, 5 these four RESOURCEs are exemplary only; numerous different types of RESOURCEs can exist.

These RESOURCEs can be divided into two pairs of classes, based on two different criteria, as indicated by the two dashed loops. One class pair is based on the fact that the 10 BOOK, MOVIE FILM, and FILE all contain information, although stored on different media (paper, celluloid, and magnetic or optical media, respectively). As information, the RESOURCEs can be transmitted over a data link, such as a telephone communication channel, provided they are first 15 translated into the proper format, such as digitized data. The PHYSICAL OBJECT, in general, does not contain informa-

The second class pair is based on the fact that the BOOK, MOVIE FILM, and PHYSICAL OBJECT are all tangible material objects, while the FILE (when stored within the mass storage of the SERVER) is not. As material objects, the objects themselves cannot be transmitted in the same way as the information which they contain. The objects require physical transportation for a user to obtain them.

All RESOURCEs, In Certain Respects, Are Treated Identically

The invention, in certain respects, treats all RESOURCEs 30 identically, irrespective of their classification as data or material object. For example, every RESOURCE, irrespective of its classification, is associated with a PROFILE. All PROFILEs, without regard to classification, are stored, processed, and made available to the user of a client-PC, 35 without regard to classification.

Several examples are the following:

The user can obtain a complete list of all PROFILES, arranged alphabetically by title. The PROFILEs, in general, will cover RESOURCEs in both classes.

The user can obtain a complete list of PROFILEs having titles which contain only certain combination of words, by calling for a "boolean key-word search." The search is performed without regard to classification (unless classification is deliberately made part of the search, as by requesting a search be done only of RESOURCEs held in the form of video tape).

The user can obtain a list of all PROFILEs within a specified category.

Categories are discussed below. Each PROFILE, when created, is assigned a category. (If the creator of the PRO-FILE does not find a suitable, pre-existing category, then the creator can establish a new category, which is added to the system.) The categories are different from the "classifications" described above. FIG. 19 illustrates exemplary categories.

Security Aspects

This discussion has presumed that the user has access to 60 all PROFILEs and all RESOURCEs. However, in general, a user will not have such broad access, but only access to those PROFILEs and RESOURCEs for which the user has authorization. When a user performs a search, only the PROFILEs to which the user has access are displayed.

As explained later, the access is controlled by the owner of the RESOURCE. When the owner deposits a

6

RESOURCE into a REPOSITORY, the owner can, of desired, restrict access to the RESOURCE, by designating certain classes of users who are allowed to see the RESOURCE. (The access restriction is accomplished by placing the restrictions into the PROFILE, as later

Access can also be limited by the ADMINISTRATOR of a system.

Multiple REPOSITORIES All Appear as Single REPOSITORY to User

The preceding discussion has been framed in terms of a single SERVER. The invention allows multiple SERVERs (ie, multiple REPOSITORIEs) to be linked together, as shown in FIG. 1C. The linking is done by commercially available telecommunication channels.

By the linking, all RESOURCEs, contained in all SERVERs, become available to all PC's. However, the linked structure shown in FIG. 1C is virtually invisible to the user of a given PC. To that user, all RESOURCEs, wherever located, appear as though contained within the user's own SERVER (although the user can ascertain the location of a given RESOURCE, if desired).

For example, the user of PC 1 can obtain access to the following RESOURCEs:

RESOURCE 3, as indicated by dashed path 5; RESOURCE 4, as indicated by dashed path 10; and RESOURCE 6, as indicated by dashed path 8.

The user obtains this access without additional steps or procedures. That is, the fact that the RESOURCEs are located within different SERVERs (ie, REPOSITORIES), which may be located in different cities, imposes no requirements of additional procedures. The user sees all RESOURCEs as though they were located in the user's own SERVER.

RESOURCEs Can Include SERVICEs, In Addition to REPOSITORIES

The last RESOURCE, number 6, is different from the other two RESOURCEs in the following respect. The REPOSITORY holding RESOURCE 6 is not a SERVER which runs the software of the invention. Instead, this REPOSITORY is a commercially available data SERVICE. In 1994, three such commercially available SERVICEs are Compuserve, GEnie, and Paradox. (The Inventors are not endorsing these particular three SERVICEs, but only pointing to them as providing definitions of the term "SERVICE.")

The SERVICEs use their own software to maintain their RESOURCEs. Nevertheless, the invention allows a user to obtain access to the RESOURCEs within the SERVICEs. (License fees and other considerations are matters to be handled between the users themselves and the SERVICEs. The invention does not provide the user rights to obtain entry into, or connection with, the SERVICEs.)

RESOURCEs Can Be Viewed as REPOSITORIES

FIG. 1C can, conceptually, be viewed as shown in FIG. 1D. Other SERVERs, and the SERVICEs, are tantamount to RESOURCEs themselves. That is, the user of a PC which is a client of SERVER 14 sees no significant differences between a RESOURCE located in SERVER 14 and a RESOURCE located within another SERVER.

Any User Can Place A RESOURCE within any REPOSITORY

A user can create a RESOURCE, such as a computer document, within any REPOSITORY. For example, the user

Document 22-12

of PC 1 in FIG. 1C can place RESOURCE 15 within SERVER 16. (Provided, of course, that the ADMINISTRA-TOR of SERVER 16 has given this user permission to do so. Also, SERVICEs, as opposed to SERVERs, may impose restrictions upon a user's ability to place RESOURCEs 5 within them.) This user, called a PROVIDER, can restrict access to the RESOURCE. For example, the PROVIDER can specify that only certain groups (or TEAMs) of other users can obtain access.

As another type of restriction to access, it is here noted 10 that ADMINISTRATORs can, in effect, restrict access in a similar way, by at least two different mechanisms. One, the ADMINISTRATORs determine who gains access to the SERVER under control of the ADMINISTRATOR. Two, the ADMINISTRATOR can assign users of the SERVER into 15 the TEAMS discussed in the previous paragraph.

User Can Establish a Standing Search Order

Any user can request that the PROFILEs of newly added 20 RESOURCEs be searched for items of interest to the user. For example, the user can request that the "aerodynamic dimple" search, mentioned above, be performed upon every new PROFILE which is added to every REPOSITORY. When a phrase is found, in a PROFILE, which matches the search criteria ("aerodynamic", "golf ball" etc.), the user is

The standing search is done periodically, at intervals (such as once daily) specified by the user at the time the standing search is established. Then, at every interval, the invention 30 automatically performs the search. The inventors point out that the standing search is not done upon each new PRO-FILE when it is added to the invention, but at the intervals specified by the user.

CONTINUITY ASPECTS

The invention, as just described, has several aspects of

The REPOSITORIES are continually being updated.

The network of connected SERVERs (ie, REPOSITORIES) shown in FIG. 1C is expected to continually expand into a larger network, containing ever-increasing SERVERs.

The users can issue standing search orders which continually search the ever-increasing collection of RESOURCEs.

Because of this continuity, the invention has been given the name "Continuous Learning System", or CLS. The CLS can be further explained by analogy to a library.

Analogy: Virtual Library

The CLS makes available to a user all of the types of materials (books, newspapers, microfilm, video tapes, etc.) which an ordinary library makes available to a user. (In 55 addition, as discussed above, the CLS makes available the PHYSICAL OBJECTs shown in FIG. 1B).

However, the CLS provides a "virtual" aspect to this library. The term "virtual" means that the CLS provides many, if not all, of the functions of an actual library, but 60 without requiring the physical presence of many of the accessories of a physical library.

For example, in an actual library, when a patron borrows a book, the book becomes unavailable to other patrons. In contrast, under the CLS, many of the RESOURCEs (which 65 are analogous to the library books) take the form of downloadable data. Multiple copies can be distributed to multiple

8 users, so that possession by one user does not deprive another user of access to the RESOURCE.

As another example, an actual library contains a card catalog. There is at least one card for each book within the library's collection. By analogy, the CLS contains a PRO-FILE for each RESOURCE. The PROFILEs give important information about each RESOURCE, such as a descriptive title, the location of the RESOURCE, etc.

As yet another example, an actual library contains another type of listing of its books, namely, a "shelf list." The shelf list enumerates all of the books, but in order of ascending library call number, instead of alphabetically. The shelf list tells the physical location of the books, since the books, on their shelves, are arranged in numerical order, according to call number.

Of course, a more macroscopic "shelf list" is the map, found in every library, which explains the locations of different groups of call numbers.

As still another analogy, an actual library categorizes the books according to subjects, in at least two different ways. One, the card catalog contains cards, in alphabetical order. for various subjects. Two, the Dewey Decimal System places books on similar topics at physically neighboring places.

Therefore, viewing library books as RESOURCEs, the invention possesses some of the characteristics of a library. In addition, the invention adds a virtual aspect to the library, as discussed above.

Further, the invention allows a user to order a RESOURCE held by a REPOSITORY, and the RESOURCE will be delivered. If the RESOURCE is of the downloadable type, it will be down-loaded to the user. Otherwise, a message is sent to the custodian of the RESOURCE, 35 requesting physical delivery.

This discussion will now explain, step-by-step, how a user operates the invention.

Exemplary Sequence of Operation

The invention is designed to run in conjunction with a Graphical User Interface (GUI) such as Windows, available from Microsoft Corporation, Redmond, Wash., or the OS/2 operating system, available from IBM Corporation, located in Armonk, N.Y.

FIG. 1 illustrates a typical display which the GUI generates after the computer's power-up sequence has been executed. To launch the invention into operation, a user actuates the icon labeled "CLS," in the usual manner. ("CLS" is an acronym for the phrase "Continuous Learning System," as stated above.)

The invention responds by displaying the screen shown in FIG. 2. This screen prompts the user to enter the user's LOGIN, which is the user's account number for computer usage. The screen also prompts the user to enter the user's PASSWORD. Exemplary LOGINs and PASSWORDs are shown in FIG. 3. (The PASSWORD is represented by cross-hatchings, because the PASSWORD is to be kept confidential. The cross-hatchings prevent a nearby observer from stealing the user's PASSWORD.)

The LOGIN and PASSWORD are assigned to the user by the administrator of the CLS, as explained later.

After entry of the PASSWORD, the invention displays the screen shown in FIG. 4, which informs the user that the process of logging on has commenced. When the log-on is successful, the screen shown in FIG. 5 appears, which can be taken as illustrating Level 1.

Document 22-12

This screen provides the user with four options, as indicated by the four buttons labeled 1 through 4. These four options actually encompass a much larger range of available options, but the screen of FIG. 5 presents four options for convenience of the user. In brief, these four options allow the 5 user to perform the following actions:

1. Locate and View

The CLS system, as a whole, can be viewed as a repository of RESOURCEs. In a general sense, the CLS can be viewed as a virtual library. That is, all of the types of 10 materials which are found in a library are made available by the CLS. However, much of the material is stored, and made available to the user, in downloadable computer format. These materials are termed RESOURCEs, and the "library" is termed a REPOSITORY.

RESOURCEs include items which are customarily stored within computer databases, such as computer programs and data. In addition, RESOURCEs include items which are not stored in computer-downloadable format. Examples of these latter RESOURCEs are newspapers, video tapes, 35 milli- 20 6. SYSTEMS. This option is similar to REPOSITORIEs. meter films, books, microfilm, maps, and all other media which are used to carry information. Further, the concept of a RESOURCE extends to non-informational subject matter, such as physical objects.

Every RESOURCE carries with it a PROFILE. Each 25 PROFILE contains important information about the RESOURCE, such as a description of the RESOURCE, where it is located, etc. The LOCATE AND VIEW option allows a user to view the PROFILEs.

2. Provide or Distribute

This option allows a user to add RESOURCEs to the CLS.

3. Identify Interests

The CLS allows a user to search the collection of repositories for RESOURCEs in which the user is interested. Some distinctions between "LOCATE AND VIEW" and "IDEN- 35 TIFY INTERESTS" are significant.

The "LOCATE AND VIEW" option allows a user to order a search, according to specific criteria, as discussed above. The search is done once, at the time it is made.

The "IDENTIFY INTERESTS" option allows the user to 40 establish a search which will be done at periodic intervals in the future. The intervals are specified by the user. CLS automatically performs the searches, at the specified intervals, and informs the user of the results.

4. Personal Information

This option allows a user to view and modify information associated with the user's PROFILE.

This discussion will give several examples of use of these options.

EXAMPLE 1

Locate and View

Assume that the user actuates the LOCATE AND VIEW button, number 1, as in FIG. 6. The CLS responds by 55 displaying the screen shown in FIG. 7. This screen offers the user eight options:

- 1. ALL RESOURCES. This option displays the titles of all RESOURCEs which are available to the user.
- 2. GENERAL SEARCH. This option allows a user to search the PROFILEs of all RESOURCEs in pursuit of a particular phrase. The GENERAL SEARCH allows Boolean Key-Word searching of the PROFILEs.
- 3. CATEGORY. This option allows a user to search the 65 PROFILEs by CATEGORY. For example, assume that the user is a women's fashion designer. The CLS can contain

a collection of drawings and photographs of interest to the fashion industry. The PROFILES can be divided into CATEGORIES such as "Hats," "Shoes," "Evening Wear," Winter Wear," etc.

10

- 4. MEDIA. This option allows a user to obtain access to PROFILEs, based on the media type. For example, one media type is video tape. Another is paper. FIG. 26 gives further examples of types of media. Media types include down-loadable computer files and data, video tapes, photographic film, books, audio tape, CD-ROM, and so on. Media type refers, generally, to the physical characteristics of the medium which carries the data.
- 5. REPOSITORIES. This option allows a user to view the RESOURCEs according to the REPOSITORY which holds them. For example, assume that the Library of Congress is one REPOSITORY, and the New York City Public Library is another. The user can elect to view all PROFILEs of RESOURCEs of either library, by selecting the REPOSITORY.
- This option allows a user to obtain access to commercially available SERVICEs, as that term is defined above. These SERVICEs are also called "On-Line Databases." By selecting this option, a user can gain access to one of these services, through the CLS.
- 7. SAVE SEARCH AS INTEREST. This option allows a user to establish a standing search, wherein PROFILEs are searched as they are created. For example, if the aerodynamic golf ball maker, described above, chooses this option for the search, then every new PROFILE which is added to the system is searched for the terms "aerodynamic" etc. The user is notified when a PROFILE matching the search criteria is found.

Example Continued

Assume that the user selects button 2 in FIG. 7, GEN-ERAL SEARCH, as indicated by the highlighted button in FIG. 8. The CLS responds by displaying the screen shown in FIG. 9. This display prompts the user to request a search based on three criteria (or less).

For example, assume that the user is interested in RESOURCEs having the word "UNIX" in the titles of their PROFILEs. The user enters the word "UNIX," as indicated in FIG. 10. The CLS performs a search of all REPOSITORIEs, and locates all PROFILEs having the word "UNIX" in their titles. FIG. 11 illustrates an exemplary result of the search.

The search provides three pieces of information about each RESOURCE identified by the search. One, the media type, as indicated in the column headed "Media." The phrase "On Line" indicates that the RESOURCE is "On-Line," or in a computer-down-loadable format (as opposed to being on paper or 35 mm film). If a RESOURCE takes a nondownloadable form, such as a 35 mm film, then the "Media" column so indicates.

The "Date/Time" column indicates the date and time when the PROFILE corresponding to a RESOURCE was

The "Title" refers to the title carried by the PROFILE 60 corresponding to each RESOURCE.

Significantly, the screen does not indicate the location of each RESOURCE. To the user, all RESOURCEs appear as though residing at a common location, even though they may be scattered over a vast geographic area. Of course, if the user wished to identify the locations of these RESOURCEs, the user could do so, using other options described herein.

Document 22-12

11

User Retrieves Resource

Assume that the user wishes to obtain item number 7 in FIG. 11. The user highlights this item, using a mouse (or keyboard, or other actuation device, such as a voice sensor), causing the display to appear as in FIG. 12. Then, the user actuates the button labeled "RETRIEVE," causing the display to take the appearance shown in FIG. 13. The icon bearing the sub-title "CLS Download," located at the bottom of the Figure, indicates that a down-loading operation is 10 taking place.

After the downloading is complete, the screen shown in FIG. 14 is generated. This screen indicates three important facts. One fact is indicated by the background of the screen, and the heading at the top of the screen. The background and $\,_{15}$ the heading indicate that a computer program was launched.

CLS examined the RESOURCE which was downloaded, and looked for indicia which identified a computer program which was used to create the RESOURCE. In this example, the RESOURCE was a file which was generated by a 20 word-processing program, namely, Microsoft WordTM.

Having identified the word processing program, the CLS searched for the program, and launched it when CLS found it. The heading in the display shown in FIG. 14 indicates that this program has been launched.

The second fact is that CLS caused the word processing program to load the RESOURCE which was downloaded, namely, that which was located during the search for the UNIX title.

The third fact is that the screen shown in FIG. 14 informs the user that the RESOURCE which has been downloaded does not exist elsewhere in the user's computer, and, to be saved, must be saved by a specific action taken by the user. (Of course, the RESOURCE maintains its existence in the REPOSITORY from which it was retrieved). The prompt in FIG. 14 reminds the user to save the RESOURCE when the user exits the word processing program; otherwise the RESOURCE will be lost.

FIG. 15 illustrates the display generated by the CLS after 40 the user responds to the prompt of FIG. 14. The RESOURCE is displayed by the same type of word processing program which generated the RESOURCE.

As another searching example, assume that the user orders the search shown in FIG. 16. The user orders that the 45 CLS retrieve all PROFILES having both the word "unix" and the word "library" in their titles. The result of the search is shown in FIG. 17. The result is a single title which, coincidentally, is the same as that selected for downloading as indicated in FIG. 12.

Level 2: Locate and View by CATEGORY

Assume that the user is at level 2 within CLS. That is, the user selected option 1 in FIG. 5, which represents Level 1.

In Level 2, the user wishes to Locate and View by CATEGORY, as indicated by the button actuated in FIG. 18. The CLS responds by presenting a list of the CATEGORIEs of RESOURCEs which are available, as shown in FIG. 19.

This list, in general, includes RESOURCEs from multiple 60 REPOSITORIEs. That is, the list is global in scope, because the REPOSITORIEs are, physically, located at multiple locations throughout the world.

However, the global aspect of the list is transparent to the user: to the user, the list is simply a list of locally available 65 RESOURCEs. The location of the RESOURCEs is not emphasized to the user partly because the location does not

12

affect access: downloadable RESOURCEs are available immediately, while non-DOWNLOADABLE RESOURCEs are available as fast as modern transport can deliver them, typically within one day.

If the user selects a CATEGORY, as indicated by the highlighted CATEGORY "CLS-TEAM NOTES," then the CLS responds by displaying a list of the RESOURCEs contained within the CATEGORY, as shown in FIGS. 20 and

This list is conceptually similar to the list of RESOURCEs shown in FIG. 12. In that Figure, the RESOURCEs listed shared a common feature, namely: they all contained phrases in their PROFILE titles which match a search string issued in FIG. 10. Similarly, in FIG. 20, all RESOURCEs listed share the common feature of residing the same category

Restated: the RESOURCEs are grouped according to fixed categories, such as those shown in FIG. 19. The RESOURCEs can also be grouped into categories by a search call.

Assume that the user wishes to obtain the RESOURCE which is highlighted in FIG. 21. The user actuates the proper button on the screen, using a mouse, and the CLS retrieves the RESOURCE. In this case, the RESOURCE takes the form of downloadable data, so that the CLS is able to obtain the RESOURCE, by telephone, or other data channel, from the RESOURCE's REPOSITORY.

The CLS examines the RESOURCE, in order to ascertain 30 whether a computer program is required to display the resource in its intended manner. In the present example, the CLS found that such a program is required, but also found, in attempting to launch that program, that the program was unavailable, or otherwise unsuitable for displaying the RESOURCE. Thus, the CLS displays the screen shown in FIG. 22.

This screen informs the user that the program is unavailable, and reminds the user that, to save the downloaded RESOURCE, the user must take active steps. Otherwise, the RESOURCE will be lost, and, to be obtained again, must be retrieved from the REPOSITORY.

The CLS presents the user with the screen shown in FIGS. 23 and 24, and allows the user to save the RESOURCEs, which in this example take the form of computer files, in the usual manner.

Two examples will illustrate some important points regarding the meaning of "display in the intended manner."

EXAMPLE 1

Generally, word processing programs display their documents in formats which are somewhat unique to each program, and also store their documents in different data formats on floppy diskettes.

For instance, consider text which should be underlined, when printed on paper. One word processing program may display this text, on a computer display, as actually underlined. Another word processing program may instead display this text in a different color from the surrounding, non-underlined text.

Further, the two word processing programs will probably store the document on floppy diskettes as different sequences of bytes. That is, the sequences stored on diskettes contain two (or more) types of data. The first type includes the bytes for the actual text of the document. ASCII codes are commonly used, although other codes exist, such as EBCDIC.

Document 22-12

13

The second type includes formatting codes, which indicate special characteristics of given sections of text, such as the underlining discussed above. Different word processing programs, in general, use different codes to signal different characteristics of the text.

Thus, a given formatting code may have different meanings in different documents created by different word processors. The given code may cause a given piece of text to appear with underlining when displayed on one word processor, yet cause the same text to appear as a different 10 color in another processor.

Further, when some processors display documents generated in another processor, they simply strip out all such codes, and display the document in a predetermined, default format.

The CLS identifies the program which generated the RESOURCE (such as a word processing document) which is retrieved, and attempts to launch the program which generated the RESOURCE, so that the RESOURCE will appear in the same manner as when it was created.

This identification is done not only for word processing documents, but for all RESOURCEs which are retrieved, such as graphics RESOURCEs, spreadsheet RESOURCEs, and so on.

EXAMPLE 2

Multi-media systems display information to a user in several formats, simultaneously. The information can be visual, as on a computer display. The visual information can be static, as a graphic, or sheet of text. The visual information can be dynamic, as in a changing sequence of images, as in video or animation.

The information can also be audible, and played from a speaker.

Conceivably, the information can be tactile. For example, Morse Code can be represented as a sequence of long and short beeps. A proper transducer can make these beeps detectable to the sense of touch, by vibrating a pad which is touched by the fingers. Visually impaired persons may 40 utilize such a transducer.

Another type of tactile information results from the conversion of visual text into Braille text. The conversion is done by an electromechanical device, known in the art, containing a matrix of parallel pins. The device raises the 45 proper pins to display each letter of the visual text in the proper Braille format.

There are numerous other formats of information display. The identification process under discussion examines a RESOURCE which is downloaded, and ascertains whether 50 additional files, information, or data are required to generate a presentation for the user in the format intended by the RESOURCE.

The invention locates the necessary files and information, and launches the proper computer programs necessary for 55 communication with the user, in the manner intended by the RESOURCE.

ALTERNATE PROCEDURES

It is possible to establish a procedure for running a 60 suitable alternative program, for displaying a RESOURCE, when a given program is not available. For example, if a RESOURCE requires a particular word processing program, and if that program is unavailable when the RESOURCE is downloaded, then the CLS can be programmed to run 65 another program, such as an earlier version of the given program, or another program entirely.

14

A variation of launching the program can be taken with RESOURCEs which take the form of compressed data files. For example, the suffix ".zip" is commonly attached to files which are in compressed format, and require de-compression for use. When the CLS examines the file, it will see the suffix, and launch the proper de-compression program to unpack the file. Then, after unpacking, the CLS again examines the file to ascertain the program which will display the file in its intended manner.

Level 2: Locate and View, MEDIA

Assume that the user is at level 2 within the CLS. That is, the user selected option 1 in FIG. 5, which represents Level 1, and advanced to Level 2.

In Level 2, the user wishes to Locate and View RESOURCEs by MEDIA type, as indicated by the button actuated in FIG. 25. The CLS responds by presenting a list of the different types of MEDIA on which RESOURCEs are stored, as shown in FIG. 26.

Assume that a user wishes to view a list of all RESOURCEs taking the form of video MEDIA (e.g., videotape cassettes on VHS or Beta format, and one-inch or two-inch reel tape). The user highlights the "Video" entry, as in FIG. 27, and the CLS responds with a list of all RESOURCEs stored in video format, as indicated in FIG. 28.

As the screen indicates, the user can select a RESOURCE, and then view the PROFILE associated with that RESOURCE. In addition, the user can retrieve the RESOURCE.

If the RESOURCE takes the form of down-loadable data, then the RESOURCE is downloaded in the usual manner. However, in the case of video MEDIA, the REPOSITORY holding the RESOURCE may not possess equipment capable of downloading the video by a data link to the uscr. (That is, the MEDIA may take the form of a videocassette tape. Data stored on such tape can be analog data, rather than digital data. Analog data is not directly downloadable.)

In this case, the CLS informs the user of the inability to download, and inquires whether the user wishes to request that the RESOURCE be physically delivered to the user. If so, the CLS notifies the REPOSITORY holding the RESOURCE of the user's request. This notification takes the form of a message sent to the ADMINISTRATOR of the REPOSITORY in question, using the CLS. Alternately, the notification can take the form of the CLS sending a message by a commercially available electronic mail service. Sometimes, for added reliability, both types of notification can be undertaken.

It is possible to add the following feature to the CLS. When user places an order for retrieval of a physical object, such as the video tape in the present example, the CLS, in addition to notifying the REPOSITORY of the request, also notifies a transportation agent.

For example, if both the user and the REPOSITORY are affiliated with the same business organization, the CLS can notify the organization's mail service that the REPOSITORY will soon have a parcel ready for delivery. The mail service takes the appropriate steps to pick up the parcel.

In addition, the CLS can be arranged such that the PROFILEs of RESOURCEs which are non-downloadable contain relevant shipment information, such as a notation that the RESOURCE is especially delicate, large, or heavy. When a user requests physical delivery of a RESOURCE, the CLS examines the PROFILE, learns whether relevant

15

shipment information exists, and forewarns the transportation agent of the information.

For example, when the CLS informs the mail service that a parcel (the video tape) will be awaiting retrieval at the REPOSITORY, the CLS also informs the mail service of the size of the parcel (very small) so that the mail service knows whether special preparations are required for the pick-up.

As an alternative to notifying an internal mail service, the CLS may notify a public, common carrier, of the impending shipment, and request that carrier to pick up the parcel. This notification can be accomplished by using commercially available electronic mail services.

As another alternate, as FIG. 96 indicates, the user may choose that a facsimile message (or FAX) be sent, requesting order of the RESOURCE. One implementation of this FAXing capability requires that the LOCAL SERVER, or the user's PC, be equipped with a facsimile modem, which are known in the art. The content of the FAX is a predetermined "form" letter, to which CLS adds the identify of the RESOURCE, plus other ordering information required by the custodian of the RESOURCE.

Classification of RESOURCEs

RESOURCEs can be classified as "physical," as physical ²⁵ objects, such as flex diskettes, videotapes, etc., or "soft," as in computer-downloadable RESOURCEs, such as software.

When a user orders a "physical" RESOURCE, a message, as discussed above, is sent to the custodian of the RESOURCE, requesting delivery. When a user orders a "soft" RESOURCE, the RESOURCE is downloaded to the user directly.

Features of Display of FIG. 26

FIG. 26 displays a list of RESOURCEs, containing both "soft" and "physical" RESOURCEs. The "On Line" entry contains soft RESOURCEs, while most of the remainder are physical RESOURCEs.

When the user orders one of the physical RESOURCEs, the information which CLS transmits to the custodian of the RESOURCE is in a format which facilitates automatic order-filling by the custodian, if the custodian is so equipped.

For example, a common electronic mail message will contain the ordering user's name and address. This information is in an electronic format which is easy to assimilate into custodian's inventory management, or product ordering. That is, the information is contained within a data file which the custodian can retrieve into the system which handles the custodian's order entry system. The custodian can manually transfer the ordering information (such purchaser's name and address) to the files used in filling orders. Alternately, the custodian can be equipped with a computer program which searches the electronic mail message for ordering information, and automatically loads the information into the custodian's order-filling software system. An example will illustrate.

Assume that the electronic mail message contains the 60 following text:

Item ordered: Stock number ABC 123

Purchaser: John Blank

Address: 4343 Oak Terrace, Dayton, Ohio 45479 How to Bill: (Credit Card or Internal or Send Bill) Credit Card Number: 1111 2222 3333 4444 16

The custodian's program searches the text for the phrase "Item ordered." When the program finds this text, it then searches the subsequent text for the stock number to be ordered, and copies the stock number to the order-filling file.

The program copies the rest of the information to the order-filling file in a similar manner. (The "How to Bill" phrase is followed by three possibilities. The ordering person selects one of these, as by entering a numeral "1", "2", or "3". The custodian's program detects the selection, and sets into motion the proper billing action.

Different custodians, in general, will require different items of information. Once the items are known, and the message format is established by the ADMINISTRATOR, the message which CLS sends to the custodians will contain all information which is necessary for completion of a normal business transaction, resulting in transfer of the ordered RESOURCE. And, as described above, the message can automatically trigger initiation of the ordering process. Locate and View, BY REPOSITORIES

Assume that the user is at level 2 within the CLS. That is, the user selected option 1 in FIG. 5, which represents Level

In Level 2, the user now wishes to Locate and View by REPOSITORY, as indicated by the button actuated in FIG. 29. In response, the CLS displays all REPOSITORIES holding RESOURCES, as indicated in FIG. 30. Assume that the user selects the REPOSITORY "Marketing Core Server Team," as indicated by the highlighted entry in the FIG.

In response, the CLS displays the RESOURCEs held by the selected REPOSITORY, as indicated in FIGS. 31 and 32. Assume that the user selects the RESOURCE entitled "Windows NT 'The Right Choice", as indicated by the highlighted entry in FIG. 32.

In response, the CLS retrieves the RESOURCE and examines (as explained above) the RESOURCE to ascertain which, if any, program is required to display the RESOURCE. This particular RESOURCE requires the program entitled "Powerpoint," available from Microsoft Corporation, as indicated by the suffix ".PPT" contained in the name of the RESOURCE.

The CLS launches the Powerpoint program, and loads the RESOURCE into the program, thereby displaying the RESOURCE in its intended format, as indicated in FIG. 33.

Locate and View, BY SYSTEMs

Assume that the user is at level 2 within the CLS. That is, the user selected option 1 in FIG. 5, which represents Level 1

In Level 2, the user now wishes to Locate and View by SYSTEMs, as indicated by the button actuated in FIG. 34. In response, the CLS provides a list of systems which are available to the user, as shown in FIG. 35.

The term "system" refers to organizations which maintain collections of information, such as stock market reports, newspapers, magazines, and so on, which are downloadable to a user. Three exemplary SYSTEMs were identified above.

When the user selects a SYSTEM, as indicated in FIG. 36, the CLS connects the user with that SYSTEM. The user obtains access to the system, and obtains the same use of the system as if the user had connected to the system outside the CLS. When the connection is made with a SYSTEM, the CLS displays an appropriate screen, such as that shown in FIG. 37.

Adding a RESOURCE to a REPOSITORY

The user can return to Level 1 by actuating the button shown in FIG. 38, which causes the screen shown in FIG. 39 to be displayed. The CLS has returned the user to Level 1.

Document 22-12

17

Assume that the user selects option #2, "Provide and Distribute." In response to this option, the CLS displays the screen shown in FIG. 40, which allows the user to select the "Provide" option, as indicated. If the user selects the "Provide" option, the CLS responds with the screen shown in 5 FIG. 41.

This screen represents the PROFILE of the RESOURCE which the user is about to provide to a REPOSITORY. The user fills out the PROFILE in the usual manner, as by the sequence illustrated by FIGS. 41-49. Several points are 10

The user, who is now a PROVIDER, declares an "Access Level," by selecting a box at the upper right part of FIG. 41. If the user selects "Public," then any person gaining access to the CLS can obtain access to the RESOURCE now being added.

If the user selects "Organization" or "Team," then only those members of the user's respective organization or team can gain access. If the user belongs to many teams or $_{20}$ organizations, the CLS asks the user to specify those to whom access should be granted.

The "Resource Title" is, of course, the title which appears on the PROFILE. When another user, at a later time, performs searches using the CLS, this title will appear in the 25 list of titles returned to the later user.

The "Resource Category" refers to the "Category" described in connection with FIGS. 18-21. The RESOURCE now being created will become located within Whenever a later user searches this CATEGORY, the title of the newly created RESOURCE will be found. (Of course, if the new RESOURCE has access limited to a particular "Team," and if the later user is not a member of this "Team," then the later user will not see the title when any searches are 35 performed. This aspect is described near the end of the Specification.)

If the PROVIDER finds the CATEGORIEs which CLS provides to be unsuitable (these have been created previously by other users of the system), then the PROVIDER 40 can create a new CATEGORY. The PROVIDER does this by choosing the option "OTHER," which is presented when the PROVIDER actuates the box labeled "INFORMATION CATEGORY" in FIGS. 41-49. The new CATEGORY is then added to the list of CATEGORIEs, and is shown to all 45 users who subsequently elect to view the CATEGORIEs.

"Repository" in FIG. 41 refers to the REPOSITORY which will receive and then maintain the RESOURCE.

"Media" refers to the media type, such as those shown in $_{50}$ FIG. 27.

"Bitmap" refers to a graphical image, or picture, which the PROVIDER can associate with the PROFILE. FIGS. 46 and 47 illustrate how the PROVIDER identifies the file which contains this image, at the time of creation of the 55 PROFILE. Once the file has been identified, CLS stores it with the PROFILE. At subsequent times, when other users call up the PROFILE, they can actuate the "Bitmap" option, and CLS will display the graphical image.

For example, if the PROFILE's RESOURCE is a physical 60 object, such as a fuel pump for an automobile, the graphical image may take the form of a picture of the pump.

Searching for Resource Just Created

FIGS. 41-49 described creating a PROFILE for a new 65 RESOURCE. It was entitled "Test Resource for Training," as indicated in FIG. 49. FIG. 50 illustrates a search request,

18 undertaken under the LOCATE AND VIEW option, done in pursuit of this newly created RESOURCE.

FIG. 51 illustrates the results of the search. The new RESOURCE is highlighted by the user, and the RESOURCE PROFILE option is selected. If the user actuates the button labeled "Resource Profile," located at the upper right part of the Figure, CLS displays the PROFILE of this highlighted RESOURCE, as shown in FIG. 52.

(If the user selects the "E-Mail" option, by actuating the proper button at the bottom of the Figure, but if the E-Mail option is unavailable, then CLS responds with the message shown in FIG. 53.) This message indicates that the file could not be mailed electronically, but specifies the location of the RESOURCE, and inquires whether the user wishes to view the RESOURCE. If the user selects YES, then CLS displays the RESOURCE, as shown in FIG. 54.

Establishing a Standing Search

(Level 1—Identify INTERESTS)

In brief, this option allows a user to establish a standing search, analogous to a search described in FIGS. 9-12, above. However, this standing search examines new RESOURCEs shortly after they are added to their REPOSITORIEs, instead of searching the REPOSITORIEs immediately. How often the standing search is executed is controlled by the user.

Thus, if a user is interested in new developments in, say, the CATEGORY specified on the PROFILE in FIG. 41. 30 pediatric medicine, the user would establish a standing search in the appropriate category for the subject of interest. The user accomplishes this as follows.

> At Level 1, as indicated in FIG. 55, a user can select option #3, "Identify Interests." The CLS responds by displaying the screen shown in FIG. 56. Assume that the user selects option #2, "Add/Delete Interests."

> The CLS displays the screen shown in FIG. 57, which invites the user to enter a phrase which describes the interest. The user can enter a phrase or, as indicated in FIG. 58, opt to view the user's presently established INTERESTs (if any exist). FIG. 59 illustrates the present INTERESTs, namely, "CLS." This INTEREST was saved after a previous search was performed.

> Irrespective of the particular manner in which the user creates an INTEREST (either by (a) direct entry of a phrase in FIG. 58, (b) by recalling a previous interest, or (c) by modification of the previous interest) the CLS acts upon the interest in the following way.

> The CLS, automatically, searches each new PROFILE, at the times specified by the user when the INTEREST was created, according to the search criteria established by the INTEREST.

During a search, if the search criteria are fulfilled, the CLS notifies the user. The CLS accomplishes the notification by placing a small icon on the screen of the user's computer. This icon does not disrupt any current activity of the user. One such icon is that located in the lower left corner of FIG. 5, indicating "9 notifications," meaning that nine PROFILEs were found which match the standing search, or INTEREST.

The user can view the search results, as shown in FIG. 62. by actuating the button at the lower left, associated with the phrase "10 notifications." The search results are then displayed, as shown in FIG. 62.

FIG. 60 illustrates a screen from which a user may exit. Upon exiting, the GUI will display a screen of the type shown in FIG. 61. The icon containing the number "10" and

appears at the bottom of the list.

RESOURCES available to this user.

US 6,480,855 B1

19

Case 3:06-cv-02361-WHA

labeled "NCR Continuous Learning" indicates the results of a standing search, or INTEREST. To view the search results from this level, the user actuates this icon, which causes the display shown in FIG. 62 to be generated. The display lists the PROFILEs found which match the search criteria.

Reminder to Save Upon Exiting

When a user wishes to exit the CLS, the user actuates the exit button, as shown in FIG. 63. If the CLS contains local files, which have been downloaded, but not yet saved, the $\,^{10}$ CLS reminds the user of this fact at this time, by means of the screen shown in FIG. 64. The user takes appropriate action. (Of course, the originals of the downloaded items are still located at their respective RESOURCEs, and are not lost if the user does not heed the warning screen shown in 15 FIG. 64.)

Upon exiting the CLS, the Graphical User Interface displays a screen resembling that in FIG. 65.

Modification of Team Membership

FIG. 66 explains the fact that the CLS Administrators manage the membership of teams, and provides a scenario wherein subsequent Figures illustrate modification of team membership. These screens are available only to the Admin- 25 istrator of the SERVER running CLS, and not to the users.

In FIG. 67, the Administrator actuates the MEMBER-SHIP button. The CLS responds with a list of members, as shown in FIG. 68, together with the team affiliation of each. The team affiliation follows the symbol "@"

In FIG. 69, the Administrator clicks the ADD button, because the Administrator wishes to add a member to a team. The CLS responds by displaying the screen shown in FIG. 70. The Administrator provides the information requested, and actuates the proper buttons on the screen.

The CLS adds the person identified in the screen shown in FIG. 70 to the proper team. The membership of the new team can be viewed as shown in FIG. 71.

The screen of FIG. 71 can also be used as a launching 40 point to modify membership of the TEAMs under the control of the Administrator. (The Administrator of each SERVER handles the TEAM membership of that SERVER.) The Administrator actuates the button TEAMs, causing the CLS to display the screen shown in FIG. 72. For simplicity, a single team is illustrated, namely "CLS ADMIN USERS."

The Administrator actuates the MODIFY button, causing the CLS to display the screen shown in FIG. 73. The upper frame lists the current members of the TEAM selected in FIG. 72. The lower frame provides a roster of possible 50 members. This roster includes all users which the SERVER, under control of the ADMINISTRATOR, serves.

The ADMINISTRATOR selects users in the lower frame to be added to the TEAM, as indicated by the highlighting in FIG. 74, and then actuates the ADD button, as shown in 55 FIG. 75. The CLS adds the selected users to the TEAM, as indicated in FIG. 76.

Creating a Resource which is Limited to Specific Teams

FIG. 77 illustrates a PROFILE of an exemplary RESOURCE which is being created by the ADMINISTRATOR, and which is entitled "CONFIDEN-TIAL REPORT ON CLS SECURITY REQUIREMENTS." The PROFILE is generated as shown in FIG. 78, and, as 65 indicated, access to it has been restricted by the entry adjacent the symbol "CLS ADMIN USERS."

To illustrate the restricted access to the RESOURCE (after its creation) the ADMINISTRATOR first performs a SEARCH (using steps not shown, but explained above, in connection with FIGS. 10-12) which would ordinarily locate the newly created RESOURCE. The results of the search are shown in FIG. 79. The "CONFIDENTIAL REPORT . . . ", which is the RESOURCE just created,

20

Then, as explained in FIG. 80, the Administrator simulates a search run by a user who is not a member of any team which has been granted access to this "CONFIDENTIAL REPORT . . . " As indicated by FIGS. 80 and 81, the non-TEAM member performs a search which would, ordinarily, locate the "CONFIDENTIAL REPORT However, FIG. 83 shows the search results, which omit the "CONFIDENTIAL REPORT . . . " from the list of

This sequence illustrates the fact that the creator of a RESOURCE controls the access to the RESOURCE, by identifying the TEAMS which can gain access to the RESOURCE.

Flow Chart of Programs

FIGS. 84-96 illustrate a flow chart of the logic followed by the program contained in the microfiche appendix. This program was written to run on computers using the 80X86 family of microprocessors, available from Intel Corporation. The microfiche appendix, together with the flow chart, will allow a user to write code which can run on other processors.

In the flow chart, the word "illustration" refers to the patent Figures. For example, in flow chart FIG. 84, the fourth paragraph in the large box states: "See illustration "Illustration 6" refers to FIG. 6.

BRIEF DESCRIPTION OF FILES

The files identified in the flow chart are summarized as follows.

- 1. MAINCAT1.OBS—Purpose: main screen.
- Generates four icon-buttons, namely,
- (1) Locate & View (refers to MAINCAT2),
- (2) Identify Interests (refers to MAINCAT3).
- (3) Personal Information (refers to MAINCAT), and (4) Provide or Distribute (refers to MAINCAT5).
- Subscription Alert, Checks & Button
 - 2. MAINCAT2.OBS—Locate & View screen
 - Generates eight icon-buttons, namely,
 - (1) Resource Catalog (A to Z) (refers to MAINCAT1),
 - (2) Search (refers to SRCHNEW),
 - (3) Resource Catalog-Categories (refers to MAINCAT1),
 - (4) Media, Search by (refers to MAINCATI).
 - (5) Repositories, Search by (refers to MAINCAT1),
 - (6) Systems (refers to MAINCAT1),
 - (7) Save as Interest (refers to PROFILE), and
 - (8) Return to Main Menu.
 - MAINCAT3.OBS—Identify interests screen.
 - Generates two icon-buttons, namely,
 - (1) View Interests (refers to PROFILE), and
 - (2) Interests Administration (refers to PROFILE). 4. MAINCAT4.OBS—Personal information screen.

 - Generates two icon-buttons, namely,
 - (1) View Personal Profile (refers to USER2), and
 - (2) Change Password (refers to PWDCHG).
 - MAINCAT.OBS—Provide or Distribute System. Generates two icon-buttons, namely,

Document 22-12

21

- (1) Provide (refers to CATADMIN), and
- (2) Membership (Administration Only) (refers to MEMBERS N/A)
- 6. CAT1.OBS-Interactive screen to Locate & View by "A to Z," Category, Media, Repository, and also for viewing 5 alternate Systems reachable from CLS (refers to RESULTS.OBS)
- 7. SRCHNEW.OBS-General search screen; userinteractive screen for search of the CLS database by logical combinations of title, description, and date (refers to 10 RESULTS.OBS).
- 8. RESULTS.OBS—Results screen (includes number of entries found in search, list of entries, "more info" button, OK, and Cancel buttons). Key function cataloginfo(): gets profile information and, if needed, retrieves the correspond- 15 ing file and opens it locally in appropriate application; may call CATDBF1 to display profile.
- 9. PROFILE.OBS, PROFILE1.OBS—Screen to add or delete interests
- 10. CATADMIN.OBS-Screen to administer accessible 20 resource profiles (especially New, Modify, Delete). (Refers also to NCRCAT.INC (especially Getinfo() function, called by Modify(). Also refers to DIALOG.OBS.)

Important subroutines: Commit(), Modify(), and FID206() (Delete).

- 11. MEMBERS.OBS—Screen lists all members of teams, and allows Administrator to add, modify, and delete members. (Refers to USERADM.OBS.)
- 12. CATDBF1.OBS—Shows profile data and also information on contact and functions to request more information 30 directly from contact. Can also retrieve corresponding "On-Line" file and open it locally in appropriate application, in manner similar to RESULTS.OBS. (Refers to QTY.OBV.)
- 13. USERADMIN.OBS-Screen to add, modify, or delete members from the CLS. (Refers to NEWORG.OBS.) 35
- 14. CLNSIGN1.OBS-Purpose: initial sign-on for the CLS. See FIG. 3. Verify() performs the single logon to the SERVER. (Server\$ appears only here.)
- 15. PWDCHG.OBS-Screen to allow users to change their own passwords.
- 16. USER2.OBS-Screen to allow user to view his or her personal information profile (e.g., name, e-mail address, user environment). The information is maintained and edited only by the Administrator.
- 17. NEWORG.OBS-Screen for use by CLS Adminis- 45 trator to define "organization" (as used in CATADMIN for "IPD Only"/"Organization" checkbox.)
- 18. DIALOG.OBS-For adding "Bitmap"/"Preview" from SUB FID257 in CATADMIN.OBS.
- 19. ABOUT.OBS—Screen gives CLS version and system 50 information, and access to CREDITS.OBV.
- 20. ADVISOR.OBS—Activated from MAINCAT1.OBS, lines 593 and 616. This module executes the display of the list of supplemental operating instructions, described in point number 7, below.
- 21. ALERT.OBS—Activated from MAINCAT1.OBS. line 590. This module allows an ADMINISTRATOR to privately communicate with a selected user, as described in point number 8, below.
 - 22. CLNSAVE.OBS-Screen for saving files from CLS. 60
- 23. CLSINTRO.OBS—Relates to a screen displayed before CLS runs.
 - 24. CREDITS.OBS—Credits for CLS product.

ADDITIONAL CONSIDERATIONS

1. Each REPOSITORY takes the form of mass memory which is associated with a computer, which is called a

22 SERVER. (Alternately, the REPOSITORY can include both the SERVER and the mass memory.)

The REPOSITORIEs hold the PROFILEs of the RESOURCEs. Some RESOURCEs are downloadable, and are stored in the mass memory. Other RESOURCEs are not downloadable, and will be stored at a location designated on their respective PROFILEs.

The invention links all REPOSITORIEs together, in a manner which is transparent to the user. For example, as discussed above, a user can request a listing of the titles of all RESOURCEs, no matter which REPOSITORIEs hold the RESOURCEs.

The listing appears, to the user, as though all RESOURCEs are located in a single REPOSITORY, although, in general, such is not the case: multiple REPOSI-TORIEs are involved.

Of course, if the user calls for a particular PROFILE whose title appears in the listing, the PROFILE identifies the REPOSITORY. If the user examines several PROFILES, it will become clear that multiple REPOSITORIEs are

From another point of view, every user can obtain access to the PROFILEs contained in all REPOSITORIEs (subject to the access/security restrictions discussed above.) These PROFILEs can be searched presently (or as they are created, by establishing an INTEREST), without regard to the fact that multiple REPOSITORIEs hold the PROFILES.

In addition, every user can obtain any RESOURCE, identified in a PROFILE, no matter which REPOSITORY holds it (subject, again, to the security restrictions.)

Thus, despite the fact that the RESOURCEs and their PROFILEs are distributed over multiple REPOSITORIEs, which themselves can be distributed world-wide geographically, the user deals with them as though they were located in a single place.

As stated earlier, the soft RESOURCEs are located at local SERVERs. The PROFILEs are located in REGIONAL. SERVERs.

2. When a RESOURCE is downloaded to a SERVER, the invention examines the RESOURCE in an attempt to identify whether a computer program should be launched, or other actions taken, in order to properly display the RESOURCE. One type of examination involves looking at the file name of the RESOURCE. For example, the file name "Letter.doc" is interpreted as having been created by a word processor which customarily adds the suffix "doc" to its

When the invention finds this suffix "doc", the invention consults a look-up table, finds the program which uses the suffix "doc", and then attempts to locate the program, launch it, and load the RESOURCE into it.

Another type of examination involves examining data contained in a header of the RESOURCE. These examinations can collectively be described as looking for indicia which identify the program which generated the RESOURCE.

3. One significant feature of the invention is that all possible options available to a user are displayed on the screens generated by the invention. Selecting an option is self-explanatory: a pointing device is used (for example).

Providing information which the option requires is also self-explanatory: the user fills in blanks, such as those shown in FIG. 45 (which relate to PROFILEs), using a keyboard.

This feature eliminates a need for the user to remember arcane computer commands, and reduces time required to learn how to use the invention.

Document 22-12

23

4. As discussed above, the PROFILEs are stored in REGIONAL SERVERs, while the downloadable RESOURCEs are stored in LOCAL SERVERs. A physical RESOURCE, described by a PROFILE stored in a REGIONAL SERVER, can be stored at any convenient 5 location.

Multiple REGIONAL SERVERs, all storing identical collections of PROFILEs, in order to enhance performance. That is, multiple REGIONAL SERVERs can provide faster response to numerous users than can a single REGIONAL 10 SERVER.

- 5. FIG. 95 indicates that the files MEMBERSHIP.OBV and MEMBERSHIP.OBS are not included in the microfiche appendix. The reason is that these files contain the actual membership lists. These lists are created by the user of CLS.
- 6. FIG. 2 contains the phrase, in faint grey lettering, "CLS Overview." This represents an option for the user to view a six-screen tutorial which explains how to use the CLS system. The tutorial automatically is shown when a user logs on for the first time. The user can de-activate the tutorial, which causes the option to be displayed in grayed text, as in FIG. 2.
- 7. It has been found that users pose questions to the ADMINISTRATOR regarding operation of the system. 25 These questions are delivered to the ADMINISTRATOR in any convenient manner, such as by telephone, letter, electronic mail, etc.

The invention allows the ADMINISTRATOR to provide to the users a list of these questions, together with answers 30 to the questions (or any selected group of questions-and-answers). The users obtain access to these questions by the button in FIG. 5 labeled "CLS Advisor."

In practice, the ADMINISTRATOR will continually update the list of questions, thus providing a continually updated list of instructions for operating the system.

8. CLS makes provision for the ADMINISTRATORs to send private messages to single users. When the message arrives, an icon appears on the user's screen, informing the user of the message.

DEFINITIONS

The terms used herein have established meanings in the art. Some additional definitions are the following.

The term "Personal Computer," or PC, has been used. It is to be understood that this term is not limited to the specific set of microcomputers having an architecture designed around the 8XX86 microprocessor manufactured by Intel Corporation. Rather, the term refers to microcomputers 50 generically, and includes, for example, desktop computers, laptop computers, workstations, and terminals. The term includes machines designed according to different architectures and using different processors.

SERVERs are computers, and frequently take the form of 55 large, mainframes. However, as computer technology

24

evolves, the power of mainframes is becoming available in much smaller devices.

A significant feature of the invention is that the invention allows a given PC to act as either a SERVER or as a CLIENT of a SERVER.

RESOURCEs have been described above. RESOURCEs are located in REPOSITORIES. If a RESOURCE takes the form of downloadable data, then such a RESOURCE will most likely be stored in mass storage (e.g., disc drives or tape systems) of a SERVER.

However, it is not required that this mass storage be directly "on-line." That is, for example, a given RESOURCE may be stored on magnetic media, such as magnetic tape or floppy diskettes, which are kept on storage racks. While the media are located on the racks, they cannot be read by a computer, and are not considered "on-line." To obtain access to the data, the tapes or discs must be loaded onto appropriate drives.

If a RESOURCE takes the form of a physical object, then the RESOURCE is stored in the same manner as others of its type, as in a warehouse.

PROFILEs are collections of information which describe RESOURCEs.

Numerous substitutions and modifications can be undertaken without departing from the true spirit and scope of the invention. What is desired to be secured by Letters Patent is the invention as defined in the following claims.

What is claimed is:

- 1. A method of managing a RESOURCE, comprising the following steps:
- (a) enabling access to a PROFILE describing the RESOURCE, wherein the PROFILE is stored within a REGIONAL SERVER and the RESOURCE is stored within a LOCAL SERVER if it is downloadable,
- (b) associating with the PROFILE a file containing a graphical image, and
- (c) enabling display of the graphical image when the PROFILE is accessed by a user.
- 2. The method of claim 1 further including the step of:
- (d) allowing the user to order the RESOURCE described in the PROFILE accessed by the user.
- 3. A method of managing a RESOURCE, comprising the $_{\rm 45}$ following steps:
 - (a) enabling access to a PROFILE stored in a SERVER describing the RESOURCE, the PROFILE including an access restriction selected from various access levels.
 - (b) associating with the PROFILE a file containing a graphical image, and
 - (c) enabling display of the graphical image when the PROFILE is accessed by a user having authorization as determined by the access restriction.

* * * * *